Established in 1979, Roundtop Machinery Industries Co., Ltd. has grown steadily in scale and scope of business. Today Roundtop has become a publicly listed company on the Taiwan Stock Exchange. With over 32 years experience in the design and manufacturing of precision machine tools, Roundtop has maintained the leading position in Taiwan through innovation, quality, and flexibility. Roundtop is dedicated to offering customers the best in machine tools. Whenever there is a need for milling and turning Roundtop is there to offer the best solutions.

喬福機械股份有限公司 成立於1979年,為一家股票上市公司。32多年 來公司不斷創新、研發,業務蓬勃發展,始終保持台灣工具機業領先的地位 ,為廣大客戶推出高品質產品。只要有各種加工上的需求,喬福就能提供最 適合您的CNC工具機。











喬福機械工業股份有限公司 **ROUNDTOP MACHINERY** INDUSTRIES CO., LTD.

台中市神岡區中山路1056號

No. 1056, Zhongshan Rd., Shengang Dist., Taichung City 42952, Taiwan (R.O.C.) TEL: 886-4-2562-4721 FAX: 886-4-2561-3886 E-mail: johnford@johnford.com.tw

http://www.johnford.com.tw











OHNFORD

Whatever you need for milling and turning we offer the best.

Roundtop Machinery Industries

OHNFORD

Well Planned Manufacturing Processes Ensure Maximum Dependability And Quality

HORIZONTAL MACHINING CENTERS

臥式(立臥兩用)加工中心機

HMC-500/500H/630/630H (horizontal m/cs) VHMC-630

(vertical & horizontal m/c)

- X: 762/1016/1000 mm
- Y · 660/813/800 mm
- Z: 660/890/950 mm



■ VERTICAL MACHINING CENTERS Twin spindle & Twin ATC available (for VMC-1300-2H)



VMC-1300/1600HD

X: 1300/1600 mm, Y: 850mm, Z: 800 mm VMC-1600S / 2000S / 3000S

X: 1600/2050/3050 mm, Y: 1100 mm, Z: 800 mm



Y:500 mm Z:610 mm

VMC-850 / 1050 JET-32 / 40 / 1000 X: 820/1020/1050 mm

Y: 500/500/610 mm Z: 610/610/500 mm

SV-48/48H

X: 1220 mm, Y: 710 mm, Z: 630 mm

VERTICAL TRUNING CENTERS



VTC- 650 & VTC-800/1000/1200/1600/

- ø: 650;1000/1200/1600/2000/2500/3000/4000 5000/6000/7000 mm
- L: 720;800/1250/1600/2500 mm

請上網 www.johnford.hdv.tw 即可線上瀏覽產品動態影片。 Please visit www.johnford.hdv.tw to view the digital VIDEO on line.

CNC SCREW CUTTING MACHINES

FLAT BED CNC LATHES


平台式電腦車床

LC-40/50/60 series

- ø: 1010/1275/1550 and up mm(order made)



DOUBLE COLUMN MACHINING CENTERS



DMC-2100S/2600S/3100S/4100S/5100S/6100S (No.40) DMC-2100SH/2600SH/3100SH/4100SH/5100SH/ 6100SH (No.50)

X: 2100/2600/3100/4100/5100/6100 mm, Y: 1778 mm, Z: 800 mm DMC-3100P/4100P (No.40) DMC-3100PH/4100PH (No.50)

X: 3100/4100 mm, Y: 2300 mm, Z: 800 mm



DMC-900/1200/1500

X: 900/1200/1500 mm, Y: 900 mm, Z: 762 mm DMC-909/912/915

X: 900/1200/1500 mm, Y: 900 mm, Z: 500 mm

DMC-1600/2100/3100/4100

X: 1600/2050/3050/4100 mm, Y: 1300 mm, Z: 800 mm

■ TURNING CENTERS (sub-spindle/sub-spindle & double turret available & C+Y-Axis)



GT-40/80/120/160/200/240/275/320/355/395

L: 1000/2000/3000/4000/5000/6000/7000/8000/9000/10000 mm



HT-30/35/40/60/80/100

ø: 300/330/600 mm

L: 550/800/1000/1500/2000/2500 mm



ST-40/60/70/80/100/130/160/200/240

ø: 600/700/800/1000 mm

L: 800/1200/1600/2000/2400/3050/4050/5050/6050 mm



SL-20/30/35/40/40L/50/60/65/70/80/100/120

ø: 330/350/450/540 mm

L: 400/600/650/1000/1040/1500/1550/2000/2500/3000 mm

■ DOUBLE (fixed/moving) COLUMN (5-axis/5-face) MACHINING CENTERS 龍門(定柱/動柱)(五軸/五面)加工中心機

■ HORIZONTAL BORING ANG MILLING CENTERS 臥式搪銑床



DMC-6000+W X: 6000 mm Y: 4000 mm Z: 1066 mm

W:1000 mm

X: 850/1050 mm, Y: 610 mm, Z: 610 mm





available for DMC/SDMC

Full Enclosure(Opt.)



X:5000~30000 mm

Y: 2800~5100 mm

Z: 800/1066 mm and up mm



BMC-110/130/160 X: 2000/3000/4000 mm

: 1800/2300/3000 mm

W:550/700 mm



